

On motion of TRUSTEE _____, seconded by TRUSTEE _____, the following resolution was adopted by the Board of Trustees of the Village of Croton-on-Hudson, New York:

Resolution #54-2022

WHEREAS, the Village received a request for consistency review with the Local Waterfront Revitalization Program (LWRP) from the New York State Department of State regarding the installation of a generator at Symphony Knoll (15 Mount Airy Road); and

WHEREAS, on April 4, 2022, the Village Board referred the request to the Waterfront Advisory Committee; and

WHEREAS, the Village Board has received a recommendation of consistency from the Waterfront Advisory Committee; and

WHEREAS, the Village Board must make its own determination of consistency with the LWRP policy standards and conditions; and

WHEREAS, on April 18, 2022, the Village Board reviewed the LWRP policy standards and conditions,

NOW THEREFORE BE IT RESOLVED, as follows:

The Village Board of Trustees found the following LWRP policies to be applicable and finds the Proposed Action to be consistent with each of these applicable policies:

POLICY 11A: Erosion and sediment control measures shall be undertaken in order to safeguard persons, protect property, prevent damage to the environment, and promote the public welfare by guiding, regulating and controlling the design, construction, use and maintenance of any development or other activity which disturbs or breaks the topsoil or results in earth movement.

POLICY 30B: Storage and disposal of all materials shall be monitored by the state to assure there will be no discharge or leaching of materials into coastal waters.

The remaining policies and conditions of the LWRP not specifically discussed above were reviewed and found to not be applicable.

Dated: April 18, 2022